

Ex05.

..... 3

..... 3

..... 3

/ 4

..... 5

..... 6

..... 7

..... 8

..... 9


..... 10

..... 11

..... 13


Ex05.

1.
 -
 -
 - 1
 - : 30 °
2.
 - AISI1020(T=20°C)
 -
 - : 14.0mm × 16.0mm
 - :
3.
 - :
 - : Cold_Normal_lubrication_Hybrid
 - :
 - : -1.0 mm/s
 - : 0.0 mm/s







1. AFDEX , “ ” .
2. (), (), (), (3), “ (Newton), (), (), (), & () “ “ .
/




1. “ : 가 ”
2. \AFDEX_Example\3D\ex05. Cold Forging “*.stl”
3. “ ”
4. 가 , “ ”




1. “ : 가 ” .
2. “Steel → AISI1020(T=20C)”
3. “ 가 ” , “ ” .




1. “ : ”
2. Y “ -1.0 ”
3. “ ”




1. “ : 가 ” .
2. “Cold_Normal_lubrication_Hybrid” .
3. “ 가 ” , “ ” .




1. , / / .



1. “ ”
2. “ 1 ”
3. “Auto”
4. “ ”




1. “ (0) ”
2. “S1” “S2”
3. “ ”




“ 1 ”


“ 6.2 ”




“P1” “P2”



“ ”



Toolbar



“ex05”

From:
<https://edu.afdex.com/> - AFDEX

Permanent link:
<https://edu.afdex.com/doku.php?id=smjang:ex05>

Last update: 2026/05/27 06:28

