

Ex06. 3 ()_ 3

[] 3

[] 3

[] 3

[] 4

[] 5

[()] 6

[] 6

[] 7

[:] 7

[] 8

[1 :] 9

[1 :] 9

[2 :] 10

[3 :] 11

[4 :] 11

[] 12


[] 13

[:] 13

Ex06. 3

()_

[]



[]

1.

-
-
-


2.

- : AISI 1035(T=700-1300°C) →
- : 1200°C →
- : STL

3.


- : STL ()
- : , $\mu=0.3$, $m=0.8$ ()
-
- : JFP-3000 →
- : 0.0 mm/s()

[]




1. ADEX_V24R02
2. “ ”
3. “ ”, “ ”, “ 3, “Newton”, “ ”, “ ”, “ ”, “ ”, “ ” ()”
4. “ ”


[]




1. “ : 가 ”
2. , “***.stl”
3. “ ”



1. “ ”
2. “ 가 / ? ” , “ ”




[]




1. “ : 가 ”
2. “ ” , “Steel → AISI 1035(T=700-1300°C)”
3. “ 가 ” “ ”

[()]



1. “ : ” 가 ”
2. “ ” , “JFP-1600”
3. “ 가 ” “ ”


[]



1. “ : ”
 2. “ ” Hybrid ”
- 0.3, 0.8

3. “ ”

[]




1. “ ”

2.


- AISI 1035 :
- JFP-3000 :
- $\mu=0.3, m=0.8$:

[:]



1. “ On/Off” “ ” .(“ ”)
2. “ ” , “ ” “ 1 ”
3. “ ” , “ ” “Auto”
4. “ ?” “ ”
5. “ ” “ ”


[]



1. 1 “ ”
2. “ ” , “ ”

3. “ ” “ ”

[1 :]



1. “ 1 ”


2. “ ” “ ” “ ” “ 62.8 ”

3. ()

4. “ ”


5. “ ” “ ” “ ” “ ” “ ” “ ”

[1 :]




1. “ ” “ ”
2. “ ” “ 1200 ”
3. “ ”

[2 :]




1. “ 2 ”
2. “ ” “ ” “ ” “ 25.66 ”
3. “ ” “ ”
4. “ ” “ ” “ ” “ ”
5. “ ” “ ” “ ” “ ” “ ” “ ”

[3 :]




1. “ 3 ”
2. “ ” , “ ” “ 7.995 ”
3. “ () ”
4. “ () ”
5. “ ” “ ” “ ” “ ”

[4 :]




1. “ ”
 2. “ ” , “ 2.7 ” . () /
 3. “ ”
 4. “ ” . ()
 5. “ ” “ ” “ ” “ ” “ ”
- []



1. “ On/Off ” . (“ ” /)


2. “ ” “ ” “ ”

[]



1.
 2. “ ” ()
 3. “ ”
 4.

[:]



1. “ ” “ () “ .()
2. 가

From:

<https://edu.afdex.com/> - **AFDEX**

Permanent link:

https://edu.afdex.com/doku.php?id=smjang:hot_3d_ex06

Last update: **2026/06/01 02:05**

